PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5:		(11) International Publication Number:	WO 94/09735
A61F 13/02, 13/40	A1	(43) International Publication Date:	11 May 1994 (11.05.94)

(21) International Application Number: PCT/NL93/00216

(22) International Filing Date: 26 October 1993 (26.10.93)

(30) Priority data: 9201864 27 October 1992 (27.10.92) NL

(71) Applicant (for all designated States except US): LAMERS BEHEER B.V. [NL/NL]; Willem Alexanderstraat 17, NL-6691 EE Gendt (NL).

(72) Inventor; and
(75) Inventor/Applicant (for US only): LAMERS, Jacobus, Stephanus [NL/NL]; Kuiplaan 2, NL-6681 GR Bemmel (NL).


(74) Agent: SCHUMANN, Bernard, Herman, Johan; Arnold & Siedsma, Sweelinckplein 1, NL-2517 GK The Hague (NL).

(81) Designated States: AT, AU, BB, BG, BR, BY, CA, CH, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, KZ, LK, LU, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report. In English translation (filed in Dutch).

(54) Title: PLASTER WITH A SUPPLY OF A MEDICALLY ACTIVE SUBSTANCE



(57) Abstract

A plaster comprises: a porous cushion (11) and at least one adhesive edge (2) with which the plaster can adhere to the skin. The invention provides a plaster of this type which is characterized by a capsule (5, 6) closed by a breakable membrane (6) and adjoining the cushion via that membrane, for example at least partially embedded therein, in which capsule a supply of a medically active substance is contained which, through breaking of the membrane, can be absorbed into the cushion for contact with and gradual delivery to the skin; breaking means for breaking the membrane, comprising two plates (8, 9) adjacent to the membrane and mutually adjoining with at least partially complementary edges, which plates can be pressed toward one another by a user, whereby the plates hinge mutually relative to the edges and at least one of the edges breaks the membrane.

Printed from Mimosa

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	CB	United Kingdom	MR	Mauritania
ΑU	Australia	GE	Georgia	MW	Malawi
88	Barbados	GN	Guinca	NE	Niger
8E	Belgium	GR	Greece	NL	
BF	Burkina Faso	HU	Hungary		Netherlands
BC	Bulgaria	IE	Ireland	NO	Norway
83	Benin	ίŤ	Italy	NZ	New Zealand
BR	Brazil	JP 		PL	Poland
BY	Belarus	KE	Japan	PT	Portugal
CA	Canada	KG	Kenya	RO	Romania
CF	Central African Republic		Kyrgystan	RU	Russian Federation
CG	Congo	KP	Democratic People's Republic	SD	Sudan
CII	Switzerland	1/8	of Korca	SE	Sweden
· Ci	Côte d'Ivoire	KR	Republic of Korea	SI	Slovenia
CM	Cameroon	KZ	Kazakhstan	SK	Slovakia
CN	China	LI	Liechtenstein	SN	Senegal
CS		LK	Sri Lanta	TD	Chad
	Czechoslovakia	LU	Luxembourg	TC	Togo
C2	Czech Republic	LV	Latvia	TJ	Tajikistan
DE	Germany	MC	Monaco	11	Trinidad and Tobago
DK	Denmark	MD	Republic of Moldova	ÜA	Ukraine
£S.	Spain	MC	Madagascar	US	United States of America
FI	Finland	ML	Mali	UZ	Uzhekistan
FR	France	MN	Mongolia	VN	Vict Nam
GA	Gabon			V M	VICT Nam

Plaster with a supply of a medically active substance

The invention relates to a plaster, comprising:
a porous cushion and at least one adhesive edge with
which the plaster can adhere to the skin.

The invention provides a plaster of this type which is characterized by a capsule closed by a breakable membrane and adjoining the cushion via that membrane, for example at least partially embedded therein, in which capsule a supply of a medically active substance is contained which, through breaking of the membrane, can be absorbed into the cushion for contact with and gradual delivery to the skin;

breaking means for breaking the membrane, comprising two plates adjacent to the membrane and mutually adjoining with at least partially complementary edges, which plates can be pressed toward one another by a user, whereby the plates hinge mutually relative to the edges and at least one of the edges breaks the membrane.

After arranging the plaster on the skin through adhesive attachment by means of the adhesive edge, the user can release the medically active substance by pressing the plates toward one another, whereby they undergo a hinge movement and are in a position to break the membrane. Through breaking of this membrane the active substance can be absorbed into the cushion. This cushion can then deliver the substance to the skin.

In order to cause the breaking of the membrane to take place with the greatest possible certainty the plaster can have the feature in a preferred embodiment that at least one of the edges has a sharp protrusion.

In particular this plaster can display the feature that 30 at least one of the edges has a zigzag shape with pointed extremities.

A very practical and simple embodiment, in which the correct mutual positioning of the plates is automatically ensured, is that in which the plates are mutually joined via

WO 94/09735

a weakening line, which weakening line is situated between the complementary edge parts. In this case the weakening line can preferably be embodied such that it is a score line which is situated on the side of the plates remote from the 5 capsule. Thus is additionally ensured, insofar as still necessary, that the hinge movement of the plates of the breaking edges takes place such that the membrane is broken. It is noted that after adhering the plaster to the skin the plates can only move outwardly relative to the skin, namely

10 the direction of the least resistance.

In order to cause the steady dosing of the medically active substance to take place as effectively as possible a particular embodiment is characterized by a gauze extending over the free surface of the cushion to be directed towards 15 the skin. This gauze encloses spaces in which the medically active substance can be temporarily stored in order to be delivered gradually to the skin. Depending on the application of the plaster it can be recommended to choose for this gauze a material which does not adhere to the skin or to a wound. 20 Polypropylene for example can be a suitable choice.

The invention will now be elucidated with reference to the annexed drawing, in which:

Figure 1 shows a highly schematic, partially broken away perspective view of a plaster according to the 25 invention;

figure 2 shows the plaster of figure 1 in the situation in which it is arranged on the skin and the breaking plates are tilted relative to one another:

figure 3 shows a cross section through the detail III 30 in figure 1; and

figure 4 shows an exploded view of a variant.

Figure 1 shows a plaster 1 according to the invention. Via an adhesive layer 2 the plaster is covered on its side to be directed toward the skin by means of a protective foil 3 on silicon basis. This protective foil is removed prior to adhering of the plaster 1 to the skin.

The adhesive layer 2 is attached to a support layer of spun-laced hydrophobic polyester. In the middle of the adhesive layer 2 a polyethylene film 5 is attached thereto.

30

Together with a breakable membrane 6 the film 5 encloses a capsule which contains a medically active substance 7.

Situated under the capsule 5, 6 are two breaking plates 8, 9 formed integrally and thus connected to one another, which are mutually joined by means of a zigzag score line 10.

Extending thereunder is a porous cushion 11 covered on the underside by means of a gauze 12.

Figure 2 shows the situation in which the plaster 1, after removal of the protective foil 3, is arranged

10 adheringly on the skin 13. The user can now break the score line 10 by exerting a pressure force according to the arrows 14, 15, whereby the breaking plates 8, 9 hinge relative to one another as is shown clearly in figure 2. The zigzag shape of the score line 10 ensures that the breaking plates thus

15 have sharp edges, which break the membrane 6 so that the substance 7 can be supplied to the porous cushion 11.

It is noted here that other shapes of the score line may also be suitable. The use of a weakening line in two plates consisting of one whole has the advantage that such an embodiment excludes the danger of the breaking plates breaking the membrane during transport or incorrect handling. For the hinge movement shown in figure 2 it can be desirable that in the score line is also found at least one straight portion which defines the hinge line. Use can also be made 25 here of an embodiment wherein this straight portion, in the plaster 1 two straight portions 15, 16, remain mutually joined and the remaining part, in this case the zigzag part, is already embodied during production such that the edges are mutually separate there, or are mutually joined very weakly.

It will be apparent in this context that diverse variants fall within the scope of the invention.

The gauze 12 can on the one hand serve to prevent adhesion of the cushion 2 to the skin or the wound, but has on the other hand the important function of being able to dose the active substance in a steady and controlled manner. Gauze is very suitable for such a function. The free spaces present therein permit a temporary storage of the medically active substance.

Figure 3 shows by way of example a form of the score line 10 at the location of the straight portion 15. It is noted that the score line can also be situated on two sides, wherein for example the score line on the top side is less deep and has a more acute top angle than the score line on the underside. Such a structure can also contribute to absolute certainty that the breaking edges move away from the skin toward the membrane 6.

Finally, figure 4 shows an alternative embodiment of the plaster according to the invention.

The plaster 17 comprises a number of components which for the sake of clarity are shown here at some mutual distance. A support is embodied in hydrophobic polyester with an adhesive layer. The layer is preferably micro-porous. The adhesive layer is preferably embodied in known manner in hypo-allergen, acryl-based material. For a very sensitive skin use can be made of an acrylic lacquer.

The reference numeral 19 refers to a covering film consisting of polyurethane. Situated thereabove is a capsule 20 in which a medically active jelly is contained. Above this is situated a breaking plate 21 consisting of two breaking plate parts 22, 23 which are mutually separated by a separating zone. This separating zone comprises two weakening lines located at a mutual distance which together form a hinge line, between which weakening lines extend a zigzag shape. At the location of this zigzag shape the two plates are mutually separated. The breaking plate 21 can be manufactured for example by plastic injection moulding. At the position of the zigzag shape the membrane of the adjoining part of the capsule 20 is adhered to the breaking plate parts 22, 23.

A wound cushion 24 extends with the dimensions of the covering film 19 above the breaking plate 21. This wound cushion is suitable for absorbing the medically active jelly.

The whole plaster is covered for storage and transport by two overlapping protective foils 25, 26 which can be removed prior to use.

The plaster according to the invention offers a very high degree of certainty of the foil not being perforated

unintentionally. The user must consciously exert a specific force on the plaster in order to break the foil and cause the active substance to be absorbed into the wound cushion. There is no danger of this happening during storage, transport and while the user carries this plaster with him.

5

Claims

1. Plaster, comprising:

a porous cushion and at least one adhesive edge with which the plaster can adhere to the skin,


characterized by


a capsule closed by a breakable membrane and adjoining the cushion via that membrane, for example at least partially embedded therein, in which capsule a supply of a medically active substance is contained which, through breaking of the membrane, can be absorbed into the cushion for contact with 10 and gradual delivery to the skin;

breaking means for breaking the membrane, comprising two plates adjacent to the membrane and mutually adjoining with at least partially complementary edges, which plates can be pressed toward one another by a user, whereby the plates 15 hinge mutually relative to the edges and at least one of the edges breaks the membrane.

- 2. Plaster as claimed in claim 1, characterized in that at least one of the edges has a sharp protrusion.
- 3. Plaster as claimed in claim 2, characterized in that 20 at least one of the edges has a zigzag shape with pointed extremities.
- 4. Plaster as claimed in claim 1, characterized in that the plates are mutually joined via a weakening line, which weakening line is situated between the complementary edge 25 parts.
 - 5. Plaster as claimed in claim 1, characterized by a gauze extending over the free surface of the cushion to be directed toward the skin.
- 6. Plaster as claimed in claim 2, characterized in that 30 the membrane is adhered to the plates in the region of the sharp protrusion.
 - 7. Plaster as claimed in the claims 3 and 4, characterized in that the plates are mutually connected via two weakening lines lying at a mutual distance which together

form a hinge line, between which weakening lines the zigzag shape extends, and that in the region of this zigzag shape the two plates are mutually separated.





A. CLASSI	A61F13/02 A61F13/40	-	
According to	o International Patent Classification (IPC) or to both national class	suffication and IPC	
	SSEARCHED		
Minimum d IPC 5	locumentation scarched (classification system followed by classific A61M A61F	ation symbols)	
			_
Documentat	tion scarched other than minimum documentation to the extent tha	at such documents are included in the fields to	carched
Electronic d	data have consulted during the international search (name of data b	nase and, where practical, search terms used)	· · ·
	, , , , , , , , , , , , , , , , , , ,	·	
,, ,,, ,,,	AUSTR WANGINGTON OF AUTOMOTOR		·
C. DOCUM	MENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.
	of the	. •	
Х	DE,A,37 21 595 (ASO PHARMACEUTIC	CAL) 14	1-2
	January 1988 see abstract; figure 1		
	see column 6, line 48 - column 7	7, line 3	
A	US,A,2 817 336 (H.KRAVITZ EN N.LETTVIN) 24 1		
	December 1957	1	
	see column 4, line 71 - column 9 see figure 8	o, line 3	
		-/	
		. / =-	
		!	
<u> </u>	1		<u>1</u>
X Fur	ther documents are listed in the conunuation of box C.	Patent family members are listed	in annex.
	augories of eited documents:	"T" later document published after the int or prionty date and not in conflict w	crnational filing date
consid	nent defining the general state of the art which is not dered to be of particular relevance.	or priority date and not in conflict w cited to understand the principle or t invention	heory underlying the
filing		"X" document of particular relevance; the cannot be considered novel or canno	t he considered to
which	nent which may throw doubts on priority claim(s) or its cited to establish the publication date of another	involve an inventive step when the de 'Y' document of particular relevance; the	ocument is taken alone c claimed invention
O. qoenu	on or other special reason (as specified) nent referring to an oral disclosure, use, exhibition or	cannot be considered to involve an in document is combined with one or n ments, such combination being obvious	nventive step when the nore other such docu-
'P' docum	means nent published prior to the international filing date but than the priority date claimed	in the art. '&' document member of the same paten	•
	e actual completion of the international search	Date of mailing of the international s	earch report
-	20 January 1994		i) 9. 02. 9 4
		Authorsed officer	
name and	mailing address of the ISA Suropean Patent Office, P.B. 5818 Patentiaan 2 St. 2380 HV Russink	Authorized officer	
ļ	NI 2280 HV Rijswijk Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl. East (+ 31-70) 340-3016	Nice, P	

Form PCT.ISA 210 (second theet) (July 1992)

page 1 of 2

		PCT/NL 93	/00210
	iuon) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.
A .	DATABASE WPI Section PQ, Week 9246, Derwent Publications Ltd., London, GB; Class P34, AN 92-379410 see abstract & NL,A,9 100 548 (KONINKLIJKE NIJVERDAL - TEN CATE) 16 October 1992 see abstract; figures 1,7 see page 3, line 5 - line 30		1-4,6,7
A	EP,A,O 144 891 (LOHMANN) 19 June 1985 see abstract see page 6, line 32; figure 1		3,4,7
A	US,A,3 580 254 (H.P.STUART) 25 May 1971 see column 2, line 9 - line 34 see figure 5		5

Form PCT/ISA 210 (continuation of second sheet) (July 1992)

HAIEUMA HOMAE PEAUCH UCCON

Information on patent family members

Int. onal Application No PCT/NL 93/00216

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
DE-A-3721595	14-01-88	FR-A- GB-A- US-A-	2607007 2193637 4808172	27-05-88 17-02-88 28-02-89
US-A-2817336		NONE		
NL-A-9100548	16-10-92	NONE	*****	******
EP-A-0144891	19-06-85	DE-A- AU-B- AU-A- CA-A- DE-A- JP-A- US-A-	3344334 578639 3640984 1223166 3470839 60168450 4619253	20-06-85 03-11-88 13-06-85 23-06-87 09-06-88 31-08-85 28-10-86
US-A-3580254	25-05-71	NONE		

Form PCT-ISA 210 (patent family annex) (July 1992)